
SEAMM Widgets Documentation

Release 2022.10.28+0.g6b17bbc.dirty

Paul Saxe

Oct 28, 2022

CONTENTS

- 1 SEAMM Widgets 3**
 - 1.1 Features 3
 - 1.2 Credits 3
- 2 Installation 5**
 - 2.1 Stable release 5
 - 2.2 From sources 5
- 3 Usage 7**
- 4 Contributing 9**
 - 4.1 Types of Contributions 9
 - 4.2 Get Started! 10
 - 4.3 Pull Request Guidelines 11
 - 4.4 Tips 11
- 5 Credits 13**
 - 5.1 Development Lead 13
 - 5.2 Contributors 13
- 6 History 15**
- 7 Indices and tables 17**
- 8 Documentation Versions 19**

This is documentation for developers! There is nothing here for users, since this is part of the underlying framework of SEAMM. Anything a users sees is documented either in the main SEAMM documentation or in the plug-in documentation.

Contents:

SEAMM WIDGETS

Tk widgets to support plugins in SEAMM

- Free software: BSD license
- Documentation: <https://seamm-widgets.readthedocs.io>.

1.1 Features

- TODO

1.2 Credits

This package was created with [Cookiecutter](#) and the [molssi-seamm/cookiecutter-seamm-plugin](#) project template.

Developed by the Molecular Sciences Software Institute (MolSSI), which receives funding from the [National Science Foundation](#) under awards OAC-1547580 and CHE-2136142

INSTALLATION

2.1 Stable release

To install the SEAMM Widgets, run this command in your terminal:

```
$ pip install seamm_widgets
```

This is the preferred method to install the SEAMM Widgets, as it will always install the most recent stable release.

If you don't have [pip](#) installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for the SEAMM Widgets can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/molssi-seamm/seamm_widgets
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/molssi-seamm/seamm_widgets/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```

CHAPTER THREE

USAGE

To use the SEAMM Widgets in a project:

```
import seamm_widgets
```


CONTRIBUTING

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at https://github.com/molssi-seamm/seamm_widgets/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

4.1.4 Write Documentation

MolSSI Widgets could always use more documentation, whether as part of the official MolSSI Widgets docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/molssi-seamm/seamm_widgets/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *seamm_widgets* for local development.

1. Fork the *seamm_widgets* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/seamm_widgets.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv seamm_widgets
$ cd seamm_widgets/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 seamm_widgets tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 3.4, 3.5 and 3.7, and for PyPy. Check https://travis-ci.org/molssi-seamm/seamm_widgets/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ py.test tests.test_seamm_widgets
```


CREDITS

5.1 Development Lead

- Paul Saxe <psaxe@vt.edu>

5.2 Contributors

None yet. Why not be the first?

HISTORY

2022.10.28 – Bugfix: problem deleting 2 or more keywords

There was a crash if you deleted a second keyword in the Keywords tab of calculation.

0.1.0 (2019-04-02)

- First release on PyPI.

INDICES AND TABLES

- `genindex`
 - `modindex`
 - `search`
-

DOCUMENTATION VERSIONS